

Revision nr. 5.1

Dated 01/03/2023

## SCALE CLEAN PLUS

Page n. 1/17

Replaced revision:5 (Printed on: 05/12/2022)

# **Safety Data Sheet**

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SCALE CLEAN PLUS Product name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Powdered acid descaler. Intended use

1.3. Details of the supplier of the safety data sheet

REPA Italia s.r.l. a socio unico Name

Via Voltri, 80 Full address District and Country 47522 Cesena (FC)

Italia

Tel. +39 0547 341111 Fax +39 0547 341110

e-mail address of the competent person info.it@repagroup.com

responsible for the Safety Data Sheet Dr. Raggi Leonardo - Tel. +39 0547 341111

1.4. Emergency telephone number

For urgent inquiries refer to Roma

Osp. Pediatrico Bambino Gesù" DEA tel 06 68593726

Az. Osp. Univ. Foggia Az. Osp. "A. Cardarelli" tel 800183459 Foggia Napoli tel 081-5453333 Roma CAV Policlinico "Umberto I"

tel 06-49978000 Roma CAV Policlinico "A. Gemelli" tel 06-3054343 Firenze Az. Osp. "Careggi" U.O. Toss. Medica tel 055-7947819 Pavia CAV C.Naz. Inf. Tossicologica tel 0382-24444 Milano Osp. Niguarda Ca' Granda tel 02-66101029

Bergamo Az. Osp. Papa Giovanni XXII tel 800883300

tel 800011858 Verona Az. Ospedaliera Integrata Verona

## **SECTION 2. Hazards identification**

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation. Skin irritation, category 2 H315 Causes skin irritation.

Hazardous to the aquatic environment, chronic toxicity, Harmful to aquatic life with long lasting effects. H412

category 3



Revision nr. 5.1

Dated 01/03/2023

Page n. 2/17

Replaced revision:5 (Printed on: 05/12/2022)

## **SCALE CLEAN PLUS**

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.H315 Causes skin irritation.

**H412** Harmful to aquatic life with long lasting effects.

Precautionary statements:

P280 Wear protective gloves / eye protection / face protection.
P337+P313 If eye irritation persists: Get medical advice / attention.

P264 Wash...thoroughly after handling. P273 Avoid release to the environment.

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

## **SECTION 3. Composition/information on ingredients**

## 3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

**SULPHAMIC ACID** 

INDEX - 60 ≤ x < 80 Eye Irrit. 2 H319, Skin Irrit. 2 H315, Aquatic Chronic 3 H412

EC 226-218-8 CAS 5329-14-6

REACH Reg. 01-2119488633-28

The full wording of hazard (H) phrases is given in section 16 of the sheet.



Revision nr. 5.1

Dated 01/03/2023

## **SCALE CLEAN PLUS**

Page n. 3/17

Replaced revision:5 (Printed on: 05/12/2022)

#### **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

NHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

NGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

## HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

#### 5.3. Advice for firefighters

## GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.



Revision nr. 5.1

Dated 01/03/2023

## SCALE CLEAN PLUS

Page n. 4/17

Replaced revision:5 (Printed on: 05/12/2022)

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

Do not transfer into containers other than the original; risk of fatal food exchange errors

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

The product is hygroscopic, do not expose to humidity; after re-pulverized it does not lose its properties.

## 7.3. Specific end use(s)

n the manner of use indicated, it does not attack Copper, Brass, Iron. More attention is recommended on Aluminum.

#### SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

SULPHAMIC ACID								
Predicted no-effect concent	tration - PNEC							
Normal value of STP micro	organisms			200	mg	ı/l		
Health - Derived no-eff	fect level - DNEL / D	OMEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Inhalation							VND	7,5 mg/mc

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.



Revision nr. 5.1

Dated 01/03/2023

## **SCALE CLEAN PLUS**

Page n. 5/17

Replaced revision:5 (Printed on: 05/12/2022)

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).
Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

#### **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

<b>Properties</b> Appearance	<b>Value</b> Polvere cristallina	Information
Colour	white	
Odour	typical	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	not available	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH Kinematic viscosity	1,2 not available	Concentration: 1 %
Solubility	soluble in water	
Partition coefficient: n-octanol/water	not available	



Revision nr. 5.1

Dated 01/03/2023

Page n. 6/17

Replaced revision:5 (Printed on: 05/12/2022)

## **SCALE CLEAN PLUS**

Vapour pressure N.A. mmHg
Density and/or relative density not available
Relative vapour density not available
Particle characteristics not available

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

## **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

SULPHAMIC ACID

Decomposes at 205°C/401°F.

## 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions

The powders are potentially explosive when mixed with air.

SULPHAMIC ACID

Risk of explosion on contact with: chlorine.Reacts violently with: nitrates,metal nitrites.

#### 10.4. Conditions to avoid

Avoid environmental dust build-up.

## 10.5. Incompatible materials

SULPHAMIC ACID

Incompatible with: chlorine, nitric acid, nitrates, sodium nitrite, potassium nitrites.

## 10.6. Hazardous decomposition products



Revision nr. 5.1

Dated 01/03/2023

**SCALE CLEAN PLUS** 

Page n. 7/17

Replaced revision:5 (Printed on: 05/12/2022)

SULPHAMIC ACID

May develop: sulphur oxides,nitric oxide.

## **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using

toxicological

the criteria specified in the applicable regulation for It is therefore necessary to take into account the co- effects of exposure to the product.	or classification. concentration of the individual hazardous substances indicated in section 3, to evaluate the
11.1. Information on hazard classes as defined	in Regulation (EC) No 1272/2008
Metabolism, toxicokinetics, mechanism of action a	and other information
Information not available	
Information on likely routes of exposure	
Information not available	
Delayed and immediate effects as well as chronic	effects from short and long-term exposure
Information not available	
Interactive effects	
Information not available	
ACUTE TOXICITY	
ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:	Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

SULPHAMIC ACID

LD50 (Oral): 1450 mg/kg Rat

SKIN CORROSION / IRRITATION



**SCALE CLEAN PLUS** 

Revision nr. 5.1

Dated 01/03/2023

Page n. 8/17

Replaced revision:5 (Printed on: 05/12/2022) Causes skin irritation SERIOUS EYE DAMAGE / IRRITATION Causes serious eye irritation RESPIRATORY OR SKIN SENSITISATION Does not meet the classification criteria for this hazard class GERM CELL MUTAGENICITY Does not meet the classification criteria for this hazard class CARCINOGENICITY Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class STOT - SINGLE EXPOSURE Does not meet the classification criteria for this hazard class STOT - REPEATED EXPOSURE Does not meet the classification criteria for this hazard class ASPIRATION HAZARD



Revision nr. 5.1

Dated 01/03/2023

Page n. 9/17

Replaced revision:5 (Printed on: 05/12/2022)

**SCALE CLEAN PLUS** 

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## **SECTION 12. Ecological information**

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

> 10000 mg/l

#### 12.1. Toxicity

SULPHAMIC ACID

LC50 - for Fish

> 70 mg/l/96h Pimephales P.

## 12.2. Persistence and degradability

SULPHAMIC ACID

Solubility in water

Degradability: information not available

#### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

#### **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be



Revision nr. 5.1

Dated 01/03/2023

Page n. 10/17

Replaced revision:5 (Printed on: 05/12/2022)

**SCALE CLEAN PLUS** 

evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
14.1. UN number or ID number
not applicable
14.2. UN proper shipping name
not applicable
постаривального при
14.3. Transport hazard class(es)
not applicable
14.4. Packing group
14.4. Facking group
not applicable
14.5. Environmental hazards
hot applicable
14.6. Special precautions for user
not applicable
14.7. Maritime transport in bulk according to IMO instruments



Revision nr. 5.1

Dated 01/03/2023

Page n. 11/17

Replaced revision:5 (Printed on: 05/12/2022)

**SCALE CLEAN PLUS** 

Information not relevant

## **SECTION 15. Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

<u>Product</u>

Point

40

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

## 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:



Revision nr. 5.1

Dated 01/03/2023

Page n. 12/17

Replaced revision:5 (Printed on: 05/12/2022)

## SCALE CLEAN PLUS

Eye Irrit. 2 Eye irritation, category 2 Skin Irrit. 2 Skin irritation, category 2

**Aquatic Chronic 3** Hazardous to the aquatic environment, chronic toxicity, category 3

H319 Causes serious eye irritation. H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

#### EGEND:

ADR: European Agreement concerning the carriage of Dangerous goods by Road

ATE: Acute Toxicity Estimate

CAS: Chemical Abstract Service Number

CE50: Effective concentration (required to induce a 50% effect) CE: Identifier in ESIS (European archive of existing substances)

CLP: Regulation (EC) 1272/2008 DNEL: Derived No Effect Level EmS: Emergency Schedule

GHS: Globally Harmonized System of classification and labeling of chemicals

IATA DGR: International Air Transport Association Dangerous Goods Regulation

IC50: Immobilization Concentration 50%

IMDG: International Maritime Code for dangerous goods

IMO: International Maritime Organization INDEX: Identifier in Annex VI of CLP LC50: Lethal Concentration 50%

LD50: Lethal dose 50%

OEL: Occupational Exposure Level

PBT: Persistent bioaccumulative and toxic as REACH Regulation

PEC: Predicted environmental Concentration

PEL: Predicted exposure level

PNEC: Predicted no effect concentration

REACH: Regulation (EC) 1907/2006

RID: Regulation concerning the international transport of dangerous goods by train

TLV: Threshold Limit Value

TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.

TWA: Time-weighted average exposure limit

TWA STEL: Short-term exposure limit

VOC: Volatile organic Compounds

vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- Regulation (EC) 1272/2008 (CLP) of the European Parliament
- Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
  16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)



Revision nr. 5.1

Dated 01/03/2023

Page n. 13/17

Replaced revision:5 (Printed on: 05/12/2022)

## **SCALE CLEAN PLUS**

- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP) 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

b1.



Revision nr. 5.1

Dated 01/03/2023

## **SCALE CLEAN PLUS**

Page n. 14/17

Replaced revision:5 (Printed on: 05/12/2022)

APPENDIX: EXPOSURE SCENARIOS - No.1

PHASE: TRANSFER OF THE PROFESSIONAL PRODUCT INTO CONTAINER (BUCKET/MACHINE)

(ref AISE GEIS.8a .1.a.v1)-

Open transfer of a concentrated product (with or without diluting); the worker is directly exposed to the product.

#### OPERATING CONDITIONS

Maximum duration	50 minutes/day
Process conditions	Process performed at room temperature
	Dilute if required with tap water at a maximum
	temperature of 45 °C.
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

#### RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective	Use gloves and protective goggles. See sect. 8 for
equipment (PPE), health and hygiene evaluation	specifications. Staff must be trained appropriately in use
	and maintenance

#### GENERAL ADVICE

JENERAL ADVICE		
Do not eat, drink, smoke or use live flames		
Wash hands after use. Avoid contact with damaged skin Do not mix with other products		
Leakage instructions	Dilute with water and collect.	
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.	

## ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water.

## PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

## USE DESCRIPTORS

SU 22: Professional uses

PC 35: Washing and cleaning products (including solvent-based products)

PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

ERC 8a: Wide dispersive indoor use of processing aids in open systems



Revision nr. 5.1

Dated 01/03/2023

## **SCALE CLEAN PLUS**

Page n. 15/17

Replaced revision:5 (Printed on: 05/12/2022)

#### APPENDIX: EXPOSURE SCENARIOS-N.3

PHASE: USING A PROFESSIONAL PRODUCT IN A CLOSED SYSTEM (ref AISE GEIS 1.1.a.V1)

Use of a product in a fully closed system. The worker is not exposed to the product or its vapors

(e.g. CIP washing, washing machines)

#### OPERATING CONDITIONS

Maximum duration	480 minutes/day
Process conditions	Process performed at room temperature
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

#### RISK MANAGEMENT MEASURES

 HON WILL TOEMENT MEDICES			
Conditions and measures concerning personal protective	Personal protective equipment is not required.		
equipment (PPE), health and hygiene evaluation			

## GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	8! <b>*</b>
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

# ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water PRODUCT COMPOSITION PROPERTIES

ERC 8a: Wide dispersive indoor use of processing aids in open systems

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

## USE DESCRIPTORS

SU 22: Professional uses
PC 35: Washing and cleaning products (including solvent-based products)
PROC 1: Use in a closed circuit; exposure improbable



Revision nr. 5.1

Dated 01/03/2023

# SCALE CLEAN PLUS

Page n. 16/17

Replaced revision:5 (Printed on: 05/12/2022)

APPENDIX: EXPOSURE SCENARIOS - No. 4

PHASE: USING A PROFESSIONAL PRODUCT IN A SEMI CLOSED SYSTEM (ref AISE GEIS 2.1.a.V1)

Using a product in a machine where the worker could be exposed to the product/vapors

(e.g.: Tunnel washsing)

#### OPERATING CONDITIONS

Maximum duration	480 minutes/day
Process conditions	Process performed at room temperature
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

#### RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective	Personal protective equipment is not required.
equipment (PPE), health and hygiene evaluation	

#### GENERAL ADVICE

Dilute with water and collect
Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

# ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

#### USE DESCRIPTORS

SU 22: Professional uses	
PC 35: Washing and cleaning products (including solvent-based products)	
PROC 2: Use in closed, continuous process with occasional controlled exposure	
ERC 8a: Wide dispersive indoor use of processing aids in open systems	



Revision nr. 5.1

Dated 01/03/2023

## SCALE CLEAN PLUS

Page n. 17/17

Replaced revision:5 (Printed on: 05/12/2022)

#### APPENDIX: EXPOSURE SCENARIOS-N.11-C

PHASE: USING A PROFESSIONAL PRODUCT FOR IMMERSING/POURING (ref AISE GEIS.13 .1.A.v1)The product poured on an item, or the item immersed in the product (e.g. toilet cleaning)

#### OPERATING CONDITIONS

Maximum duration	50 minutes/day
Process conditions	Process performed at room temperature Dilute if required with tap water at a maximum temperature of 45 °C.Provide local ventilation/airing.

#### RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective	Use Gloves and protective goggles. See sect. 8 for specifications
equipment (PPE), health and hygiene evaluation	
	Staff must be trained appropriately in use and maintenance

#### GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	8!
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

# ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

## USE DESCRIPTORS

U	JSE DESCRIPTORS		
	SU 22: Professional uses		
	PC 35: Washing and cleaning products (including solvent-based products)		
	PROC 13: Treatment of items by immersing or pouring		
	ERC 8a: Wide dispersive indoor use of processing aids in open systems		